





NO NEED FOR DEDICATED STAFF

The portal, as a caretaker/concierge, all at once recognises and permits the access to the only gym members, registering the ID. The portal can be integrated to any control access systems.



REVENUE PROTECTION

The first door is opened by validating the member's access control ID. A volumetric sensor verifies the presence of a single user inside the pod and opens the second door, guaranteeing that the access to the gym is extended only to members and their objects.





3



THREE DOORS IN ONE

- A security automatic portal
- A safety automatic swing door
- A larger entrance by opening both the portal sliding doors and the swing door.





WHEELCHAIR & DELIVERY ACCESS

The motorised swing door allows for an easy passage for wheelchairs.

The contemporaneous opening of portals and swing door allows for the transit of large objects such as trolleys, server racks, gym tools, etc...





WHAT ARE THE LEVELS OF POWER CONSUMPTION?

The energy bill makes up a relatively critical component in the total sum of costs, especially so for a 24/7 gym facility. Alluser systems are designed to have a remarkably low-power consumption, directly contributing to lowering energy bills.

1 hour use of



60 hours use of Alluser system

1 hour use of



= 15 hours use of Alluser system



1 hour use of Alluser system

Smart, wide opening in just a tiny space

The Inclusive Entrance provides 1210mm transit passage, occupying only 1850mm space.





designed for your security

Who we are

Alluser Industries has been working in the security sector since 1968, providing solutions to protect entrances by controlling access to authorised users. The Inclusive Entrance system is based on the same principles of safety, reliability, ease of use and flexibility to retrofitting. This solution contributes to making your location more inclusive and more accessible for everybody.

Flexible solutions for emergency exits or the passage of bulky items.

C5

Alluser systems are available as single or double portals, in rounded or square shapes so as to best suit your entrance requisitions, available space, design guidelines and access flow. For more information about our wide range of solutions, please visit our website:


www.alluserindustrie.com




Alluser Industrie Srl:

Via dell'Industria, 18 35020 Due Carrare Padova, Italy T. +39 049 0991800 F. +39 049 5290223


F. +39 049 5290223 E. alluser@alluserindustrie.com W. alluserindustrie.com






Controlled access transit

Automatic sliding doors opening



Emergency egress

Manual swing door opening



Large Controlled access transit Large Emergency egress Automatic sliding doors and swing door opening



Certified company UNI EN ISO 9001:2015 Certificate of quality management system n° 50 100 14143

Authorized Distributor: